

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 21-Feb-2012

Revision Date 05-Feb-2024

Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product Description: | Dichloromethylphenylsilane_ |
|---------------------------|-----------------------------|
| Cat No. : | B23999 |
| Synonyms | Phenylmethyldichlorosilane. |
| CAS No | 149-74-6 |
| EC No | 205-746-2 |
| Molecular Formula | C7 H8 Cl2 Si |
| REACH registration number | - |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use | Laboratory chemicals. |
|----------------------|--------------------------|
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

| Company | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
|---------------------------------|---|
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Dichloromethylphenylsilane

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage H302 - Harmful if swallowed EUH014 - Reacts violently with water EUH071 - Corrosive to the respiratory tract Combustible liquid

Precautionary Statements

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P280 - Wear protective gloves/protective clothing/eye protection/face protection P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|----------------------------|----------|-------------------|----------|---|
| Methylphenyldichlorosilane | 149-74-6 | EEC No. 205-746-2 | >95 | Skin Corr. 1A (H314) Eye Dam. 1 (H318) Acute Tox. 4 (H302) (EUH014) (EUH071) |

Category 4 (H302) Category 1 A (H314) Category 1 (H318)

REACH registration number

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|------------------------------------|--|
| Eye Contact | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Clean mouth with water. |
| Inhalation | Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. If not breathing, give artificial respiration. |
| Self-Protection of the First Aider | Use personal protective equipment as required. |

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons Water.

5.2. Special hazards arising from the substance or mixture

Reacts violently with water. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Formaldehyde, Silicon dioxide, Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors, Hydrogen chloride gas.

5.3. Advice for firefighters

Dichloromethylphenylsilane

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not expose spill to water. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8A Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Dichloromethylphenylsilane

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) Workers: See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|----------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Methylphenyldichlorosilane | | | | DNEL = 1.2mg/kg |
| 149-74-6 (>95) | | | | bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|
| Methylphenyldichlorosilane | DNEL = 39mg/m ³ | | DNEL = 21mg/m ³ | $DNEL = 4.1 mg/m^3$ |
| 149-74-6 (>95) | | | $DNEL = 9.3 mg/m^3$ | _ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | | Microorganisms in sewage treatment | Soil (Agriculture) |
|--|-----------------------------------|---------------------------------|-----|---------------------------------------|-----------------------------|
| Methylphenyldichlorosilane 149-74-6 (>95) | PNEC = 0.32mg/L PNEC = 0.2mg/L | PNEC = 2mg/kg sediment dw | C C | PNEC = 66.7mg/L | PNEC = 0.22mg/kg soil dw |
| | | PNEC = 0.54mg/kg sediment dw | | | PNEC = 0.34mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|--|-------------------------------------|--|------------------------------|--------------------------|-----|
| Methylphenyldichlorosilane 149-74-6 (>95) | PNEC = 0.032mg/L PNEC = 0.02mg/L | PNEC = 0.2mg/kg sediment dw PNEC = | | PNEC = 16.7mg/kg food | |
| | | 0.054mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equipment | | |
|-------------------------------|---------|------------------------------|
| Eve Protection | Goggles | (European standard - EN 166) |

Hand Protection Protective gloves

| Glove material Breakthrough time Glove thickness EU standard Butyl rubber See manufacturers - EN 374 recommendations - EN 374 | Glove comments (minimum requirement) |
|---|---|
|---|---|

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

| | and maintained properly |
|---------------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | No information available. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Dichloromethylphenylsilane

| Physical State | Liquid | |
|-------------------------------------|--------------------------|-----------------------------------|
| Appearance | Colorless | |
| Odor | Slight chlorine | |
| Odor Threshold | No data available | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | 205 °C / 401 °F | @ 760 mmHg |
| Flammability (liquid) | Combustible liquid | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | Lower 0.2 | |
| - | Upper 8.6 | |
| Flash Point | 82 °C / 179.6 °F | Method - No information available |
| Autoignition Temperature | 400 - °C / 752 - °F | |
| Decomposition Temperature | No data available | |
| pH | No information available | |
| Viscosity | No data available | |
| Water Solubility | reacts with water | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/wa | ter) | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | 1.176 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | 6.59 | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |
| | | |

9.2. Other information

Molecular Formula Molecular Weight Explosive Properties C7 H8 Cl2 Si 191.13 explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions. Moisture sensitive.

Revision Date 05-Feb-2024

| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. Reacts violently with water. |
|---|---|
| 10.4. Conditions to avoid | Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition. |
| 10.5. Incompatible materials | Water. Strong oxidizing agents. Strong acids. Strong bases. Alcohols. |
| 10.6. Hazardous decomposition p | roducts Carbon monoxide (CO), Carbon dioxide (CO ₂), Formaldebyde, Silicon dioxide, Hydrogen |

Carbon monoxide (CO). Carbon dioxide (CO₂). Formaldehyde. Silicon dioxide. Hydrogen. Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Dichloromethylphenylsilane

| Product Information | |
|---|---|
| (a) acute toxicity; Oral Dermal Inhalation | Category 4 No data available No data available |
| (b) skin corrosion/irritation; | Category 1 A |
| (c) serious eye damage/irritation; | Category 1 |
| (d) respiratory or skin sensitization; Respiratory Skin | No data available No data available |
| (e) germ cell mutagenicity; | No data available |
| (f) carcinogenicity; | No data available |
| | There are no known carcinogenic chemicals in this product |
| (g) reproductive toxicity; | No data available |
| (h) STOT-single exposure; | No data available |
| | |
| (i) STOT-repeated exposure; | No data available |
| Target Organs | No information available. |
| (j) aspiration hazard; | No data available |
| Other Adverse Effects | The toxicological properties have not been fully investigated. |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes |

severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

.

Dichloromethylphenylsilane

| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. | This product does not contain any |
|---------------------------------|--|-----------------------------------|
| | known or suspected endocrine disruptors. | |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

| <u>12.2. Persistence and degradability</u> Persistence | Persistence is unlikely, Reacts violently with water, Soluble in water, based on information available. |
|---|--|
| 12.3. Bioaccumulative potential | Bioaccumulation is unlikely |
| <u>12.4. Mobility in soil</u> | Reacts violently with water The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
| <u>12.5. Results of PBT and vPvB</u> assessment | Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB). |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected substance This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

| 13.1. Waste treatment methods | |
|--|---|
| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. |

Dichloromethylphenylsilane

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> 14.4. Packing group | UN2437 METHYLPHENYLDICHLOROSILANE 8 II |
|---|---|
| ADR | |
| <u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group | UN2437 METHYLPHENYLDICHLOROSILANE 8 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN2437 METHYLPHENYLDICHLOROSILANE 8 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|----------------------------|----------|-----------|--------|-----|-------|------|-----------------|------|------|
| Methylphenyldichlorosilane | 149-74-6 | 205-746-2 | - | - | Х | х | 2011-3-49 80 | Х | Х |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------------------|----------|------|---|-----|------|------|-------|-------|
| Methylphenyldichlorosilane | 149-74-6 | Х | ACTIVE | - | Х | Х | Х | Х |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | 5 | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------------|----------|---|---|---|
| Methylphenyldichlorosilane | 149-74-6 | - | - | - |

Dichloromethylphenylsilane

| Component | CAS No | Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC) | |
|----------------------------|----------|---|---|
| | | Qualifying Quantities for Major Accident | Qualifying Quantities for Safety Report |
| | | Notification | Requirements |
| Methylphenyldichlorosilane | 149-74-6 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|----------------------------|---------------------------------------|-------------------------|
| Methylphenyldichlorosilane | WGK1 | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH014 - Reacts violently with water

EUH071 - Corrosive to the respiratory tract

EUH014 - Reacts violently with water

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial ChemicalInventorySubstances/EU List of Notified Chemical SubstancesDSL/NDSL - Canadian Domestic Substances List/Non-DomesticPICCS - Philippines Inventory of Chemicals and Chemical SubstancesSubstances ListIECSC - Chinese Inventory of Existing Chemical SubstancesENCS - Japanese Existing and New Chemical SubstancesKECL - Korean Existing and Evaluated Chemical SubstancesNZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50%

TSCA - United States Toxic Substances Control Act Section 8(b)

Dichloromethylphenylsilane

Revision Date 05-Feb-2024

| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
|--|---|
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of | ICAO/IATA - International Civil Aviation Organization/International Air |
| Dangerous Goods by Road | Transport Association |
| IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code | MARPOL - International Convention for the Prevention of Pollution from Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) |
| Key literature references and sources for data | |
| https://echa.europa.eu/information-on-chemicals | |
| Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, | RTECS |
| | |
| Training Advice | |
| | fety Data Sheets (SDS), Personal Protective Equipment (PPE) and |
| Use of personal protective equipment, covering appropriate sele and standards. | ection, compatibility, breakthrough thresholds, care, maintenance, fit |
| First aid for chemical exposure, including the use of eye wash a | nd safety showers. |

Chemical incident response training.

| Prepared By | Health, Safety and Environmental Department |
|------------------|--|
| Creation Date | 21-Feb-2012 |
| Revision Date | 05-Feb-2024 |
| Revision Summary | New emergency telephone response service provider. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet