

1.1. Product identifier

SAFETY DATA SHEET

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 30-Nov-2024

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

| Product Description: Cat No. : Molecular Formula | Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol 42377 C6 H14 NiO21 |
|--|---|
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available |
| 1.3. Details of the supplier of the sa | afety data sheet_ |
| Company | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887 |
| Poison Centre - Emergency information services | Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Category 3 (H226)

Health hazards

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Skin Sensitization Carcinogenicity Reproductive Toxicity Specific target organ toxicity - (single exposure) Specific target organ toxicity - (repeated exposure)

Environmental hazards

Chronic aquatic toxicity

Revision Date 30-Nov-2024

Category 4 (H302) Category 4 (H312) Category 4 (H332) Category 1 (H317) Category 1B (H350) Category 1B (H360FD) Category 1 (H370)

Category 2 (H373)

Category 2 (H411)

Full text of Hazard Statements: see section 16



Hazard Statements

- H226 Flammable liquid and vapor
- H317 May cause an allergic skin reaction
- H370 Causes damage to organs
- H350 May cause cancer
- H360FD May damage fertility. May damage the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects
- H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P312 Call a POISON CENTER or doctor if you feel unwell
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Additional EU labelling

Restricted to professional users

2.3. Other hazards

Toxic to terrestrial vertebrates

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|--------------------------|-------------|-------------------|----------|---|
| 2-Methoxyethanol | 109-86-4 | EEC No. 203-713-7 | 95.00 | Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Repr. 1B (H360FD) STOT SE1 (H370) STOT RE2 (H373) |
| Nickel 2-methoxyethoxide | 142600-62-2 | | 5.00 | Carc. 1B (H350) STOT RE 1. (H372) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | If symptoms persist, call a physician. |
|-------------------------------------|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| | Difficulty in breathing. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| 4.3. Indication of any immediate me | edical attention and special treatment needed |
| Notes to Physician | Treat symptomatically. Symptoms may be delayed. |

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nickel oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|------------------|----------------------------------|-----------------|--------------------|
| 2-Methoxyethanol | STEL: 3 ppm 15 min | TWA: 1 ppm (8h) | TWA: 1 ppm 8 hr. |
| | STEL: 9 mg/m ³ 15 min | Skin | STEL: 3 ppm 15 min |
| | TWA: 1 ppm 8 hr | | Skin |
| | TWA: 3 mg/m ³ 8 hr | | |
| | Skin | | |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local | Acute effects | Chronic effects local | Chronic effects |
|--|---------------------|-----------------|-----------------------|-----------------|
| | (Oral) | systemic (Oral) | (Oral) | systemic (Oral) |
| 2-Methoxyethanol 109-86-4 (95.00) | | | | 11 mg/kg bw/d |

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| 2-Methoxyethanol | | | | DNEL = 0.22mg/kg |
| 109-86-4 (95.00) | | | | bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------|-------------------------------------|--|---------------------------------------|---------------------------------------|
| 2-Methoxyethanol | | | | $DNEL = 0.31 mg/m^3$ |
| 109-86-4 (95.00) | | | | _ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent Microorganisms in Soil (Agriculture) |
|-----------|-------------|-------------|---|
| | | sediment | sewage treatment |

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

Revision Date 30-Nov-2024

| 2-Methoxyethanol | PNEC = 10mg/L | PNEC = 36.8mg/kg | PNEC = 94mg/L | PNEC = 1000mg/L | PNEC = 1.87mg/kg |
|--------------------|---------------|------------------|---------------|-----------------|------------------|
| 109-86-4 (95.00) | - | sediment dw | - | | soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|------------------|--------------|--------------------------|------------------------------|-----------------|-----|
| 2-Methoxyethanol | PNEC = 1mg/L | PNEC = 3.68mg/kg | | PNEC = 7.3mg/kg | |
| 109-86-4 (95.00) | | sediment dw | | food | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| sonal protective ec Eye Protection | | fety glasses with side | e shields (or goggles) | (European standard - EN 166) |
|---------------------------------------|-------------------|------------------------|------------------------|------------------------------|
| Hand Protection | Protectiv | e gloves | | |
| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
| Viton (R) | See manufacturers | - | EN 374 | (minimum requirement) |
| | recommendations | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Multi-purpose/ABEK conforming to EN14387 low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

Revision Date 30-Nov-2024

| Physical State | Liquid | |
|--------------------------------------|---------------------------------------|-----------------------------------|
| Appearance | | |
| Odor | Characteristic | |
| Odor Threshold | No data available | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | No information available | |
| | | On basis of test data |
| Flammability (liquid) | Flammable | |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | No data available | |
| Flash Point | 46 °C / 114.8 °F | Method - No information available |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| рН | 4 | |
| Viscosity | No data available | |
| Water Solubility | Immiscible | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/wat | er) | |
| Component | log Pow | |
| 2-Methoxyethanol | -0.77 | |
| Vapor Pressure | 23 hPa @ 20 °C | |
| Density / Specific Gravity | No data available | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No data available | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |
| | | |
| 9.2. Other information | | |
| Molecular Formula | C6 H14 NiO21 | |
| Molecular Weight | 208.76 | |
| Explosive Properties | explosive air/vapour mixtures possibl | 9 |
| Explosive i roperties | | 6 |
| | | |
| 9 | ECTION 10: STABILITY AND | |
| | | |
| 10.1. Reactivity | | |
| | None known, based on information av | vailable |
| | | |
| 10.2. Chemical stability | | |
| <u> </u> | Moisture sensitive. | |
| | | |
| 10.3. Possibility of hazardous react | ions | |
| | | |

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nickel oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

| Oral | Category 4 |
|------------|------------|
| Dermal | Category 4 |
| Inhalation | Category 4 |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|--|--------------------------------|-------------------------------------|
| 2-Methoxyethanol | LD50 = 2370 mg/kg (Rat) | LD50 = 1280 mg/kg (Rabbit) | LC50 = 1478 ppm (Rat)7 h |
| (b) skin corrosion/irritation; | No data available | | |
| (c) serious eye damage/irritation; | No data available | | |
| (d) respiratory or skin sensitization; Respiratory Skin | No data available Category 1 | | |
| | May cause sensitization by sk | kin contact | |
| (e) germ cell mutagenicity; | No data available | | |
| (f) carcinogenicity; | Category 1B | | |
| | There are no known carcinogo | enic chemicals in this product | |
| | · | | |
| (g) reproductive toxicity; | Category 1B | | |
| (h) STOT-single exposure; | Category 1 | | |
| Results / Target organs | Immune system. | | |
| (i) STOT-repeated exposure; | Category 2 | | |
| Target Organs | Thymus. | | |
| (j) aspiration hazard; | No data available | | |
| Symptoms / effects,both acute and delayed | Symptoms of allergic reaction | | elling, trouble breathing, tingling |
| 11.2. Information on other hazards | | | |
| Endocrine Disrupting Properties | Assess endocrine disrupting p known or suspected endocrin | • | nis product does not contain any |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|------------------|--|------------|------------------|
| 2-Methoxyethanol | LC50: = 9650 mg/L, 96h static (Lepomis macrochirus) LC50: = 16000 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus) | | |

| 12.2. Persistence and degradability | Product contains heavy metals. Discharge into the environment must be avoided. Special |
|--|---|
| | pre-treatment is necessary |
| Persistence | May persist, based on information available. |
| Degradation in sewage treatment plant | Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |
| treatment plant | water treatment plants. |

12.3. Bioaccumulative potential

| Component | log Pow | Bioconcentration factor (BCF) |
|------------------|---------|-------------------------------|
| 2-Methoxyethanol | -0.77 | No data available |

May have some potential to bioaccumulate

| <u>12.4. Mobility in soil</u> | Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility. |
|--|---|
| <u>12.5. Results of PBT and vPvB</u> assessment | No data available for assessment. |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |

| 12.7. Other adverse effects | |
|------------------------------|--|
| Persistent Organic Pollutant | This product does not contain any known or suspected substance |
| Ozone Depletion Potential | This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group | UN1188 ETHYLENE GLYCOL MONOMETHYL ETHER 3 III |
|--|--|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> 14.4. Packing group | UN1188 ETHYLENE GLYCOL MONOMETHYL ETHER 3 III |
| ΙΑΤΑ | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> 14.4. Packing group | UN1188 ETHYLENE GLYCOL MONOMETHYL ETHER 3 III |
| 14.5. Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|--------------------------|-------------|-----------|--------|-----|-------|------|----------|------|------|
| 2-Methoxyethanol | 109-86-4 | 203-713-7 | - | - | Х | Х | KE-23272 | Х | Х |
| Nickel 2-methoxyethoxide | 142600-62-2 | - | - | - | - | - | - | - | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------------------|-------------|------|---|-----|------|------|-------|-------|
| 2-Methoxyethanol | 109-86-4 | Х | ACTIVE | Х | - | Х | Х | Х |
| Nickel 2-methoxyethoxide | 142600-62-2 | - | - | - | - | - | - | - |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------------|-------------|---|--|---|
| 2-Methoxyethanol | 109-86-4 | - | Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details) | SVHC Candidate list - 203-713-7 - Toxic for reproduction, Article 57c |
| Nickel 2-methoxyethoxide | 142600-62-2 | - | - | - |

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|--------------------------|-------------|---|--|
| 2-Methoxyethanol | 109-86-4 | Not applicable | Not applicable |
| Nickel 2-methoxyethoxide | 142600-62-2 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------------|---------------------------------------|-------------------------|
| 2-Methoxyethanol | WGK 2 | |

Nickel 2-methoxyethoxide, 5% w/v in 2-methoxyethanol

Revision Date 30-Nov-2024

| Component | France - INRS (Tables of occupational diseases) |
|------------------|--|
| 2-Methoxyethanol | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--|--|---|--|
| 2-Methoxyethanol 109-86-4 (95.00) | | Group I | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory |
|--|--|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances | DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals |
| | , |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|-----------------------|--|
| Physical hazards | On basis of test data | |
| Health Hazards | Calculation method | |
| Environmental hazards | Calculation method | |
| - | | |
| Training Advice | | |

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

| Prepared By | Health, Safety and Environmental Department |
|------------------|---|
| Revision Date | 30-Nov-2024 |
| Revision Summary | Not applicable. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet