

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 30-Apr-2012

Revision Date 10-Feb-2024

**Revision Number** 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	N,N-Diethylaniline
Cat No. :	A10560
Synonyms	DEA
Index No	612-054-00-8
CAS No	91-66-7
EC No	202-088-8
Molecular Formula	C10 H15 N
REACH registration number	-

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

# 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

## N,N-Diethylaniline

Based on available data, the classification criteria are not met

#### Health hazards

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Acute Inhalation Toxicity - Dusts and Mists Specific target organ toxicity - (repeated exposure)

# **Environmental hazards**

Chronic aquatic toxicity

Category 3 (H301) Category 3 (H311) Category 3 (H331) Category 3 (H331) Category 2 (H373)

Category 2 (H411)

#### Full text of Hazard Statements: see section 16

# 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H373 - May cause damage to organs through prolonged or repeated exposure H411 - Toxic to aquatic life with long lasting effects H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled Combustible liquid

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P310 - Immediately call a POISON CENTER or doctor/physician
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P273 - Avoid release to the environment

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Component CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and
------------------	-------	----------	--

## N,N-Diethylaniline

### Revision Date 10-Feb-2024

\_

				UK SI 2020/1567
N,N-Diethylaniline	91-66-7	EEC No. 202-088-8	>95	Acute Tox. 3 (H331)
				Acute Tox. 3 (H311)
				Acute Tox. 3 (H301)
				STOT RE 2 (H373)
				Aquatic Chronic 2 (H411)

## **REACH registration number**

#### Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.					
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.					
Immediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes.					
Do NOT induce vomiting. Call a physician or poison control center immediately.					
Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If not breathing, give artificial respiration.					
Use personal protective equipment as required.					
4.2. Most important symptoms and effects, both acute and delayed					
Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting					

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

## Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons No information available.

## 5.2. Special hazards arising from the substance or mixture

Combustible material. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Containers may explode when heated.

# Hazardous Combustion Products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

# 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1C Storage Class (LGK) (Germany)

## 7.3. Specific end use(s)

Use in laboratories

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

ALFAAA10560

# **Exposure limits**

List source(s):

# Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
N,N-Diethylaniline 91-66-7 (>95)				DNEL = 7mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
N,N-Diethylaniline 91-66-7(>95)				DNEL = 61.6µg/m <sup>3</sup>

# Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment		Microorganisms in sewage treatment	,
N,N-Diethylaniline	PNEC = 9.36µg/L	PNEC = 2.52mg/kg	PNEC = 74.2µg/L	PNEC = 0.018mg/L	PNEC =
91-66-7 (>95)	. •	sediment dw		-	0.498mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
N,N-Diethylaniline 91-66-7(>95)	PNEC = 0.936µg/L	PNEC = 0.252mg/kg sediment dw	PNEC = 7.42µg/L		

# 8.2. Exposure controls

# Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# Personal protective equipment

•	Eye Protection		(European standard	I - EN 166)		
	Hand Protection	Protectiv	e gloves			
	Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	
	Skin and body protec	tion Long sle	eved clothing.			

Inspect gloves before use.

# N,N-Diethylaniline

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Yellow	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	-38 °C / -36.4 °F	
Softening Point	No data available	
Boiling Point/Range	215 - 217 °C / 419 - 422.6 °F	@ 760 mmHg
Flammability (liquid)	Combustible liquid	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 1.1	
	Upper 5.3	
Flash Point	84 °C / 183.2 °F	Method - No information available
Autoignition Temperature	385 °C / 725 °F	
Decomposition Temperature	No data available	
рН	6.9	1% aq.solution
Viscosity	No data available	
Water Solubility	10-27 g/L	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat		
Component	log Pow	
N,N-Diethylaniline	3.31	
Vapor Pressure	0.13 hPa (20°C)	
Density / Specific Gravity	0.933	
Bulk Density	Not applicable	Liquid
Vapor Density	5.1	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular Formula Molecular Weight Explosive Properties

N,N-Diethylaniline

C10 H15 N 149.24 explosive air/vapour mixtures possible

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Excess heat. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Acids. Strong oxidizing agents.

# 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Product Information

(a) acute toxicity;	
Oral	Category 3
Dermal	Category 3
Inhalation	Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
N,N-Diethylaniline	LD50 = 606 mg/kg (Rat)	>5000 mg/kg (Rat)	LC50 = 1920 mg/m <sup>3</sup> (Rat) 4 h

(b) skin corrosion/irritation;	Based on available data, the classification criteria are not met
(c) serious eye damage/irritation;	Based on available data, the classification criteria are not met
(d) respiratory or skin sensitization; Respiratory	Based on available data, the classification criteria are not met
Skin	Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met
(f) carcinogenicity;	Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure; Route of exposure Target Organs	Category 2 Oral Damage to fetus possible.
(j) aspiration hazard;	Based on available data, the classification criteria are not met
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

# 11.2. Information on other hazards

Endocrine	Disrupting	Properties
-----------	------------	------------

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity **Ecotoxicity effects**

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
N,N-Diethylaniline	LC50: = 16.4 mg/L, 96h flow-through (Pimephales promelas) LC50: = 38.5 mg/L, 96h (Oncorhynchus mykiss)	EC50: 1.0 - 1.6 mg/L, 48h semi-static (Daphnia magna)	

Component	Microtox	M-Factor
N,N-Diethylaniline	EC50 = 6.50 mg/L 5 min	
	EC50 = 7.70 mg/L 15 min	

12.2. Persistence and degradability Not readily biodegradable Persistence

Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

# 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
N,N-Diethylaniline	3.31	17 - 125 dimensionless

## 12.4. Mobility in soil

The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

Revision Date 10-Feb-2024

12.5. Results of PBT and vPvB assessment	Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects	

# SECTION 13: DISPOSAL CONSIDERATIONS

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

# 13.1. Waste treatment methods

Persistent Organic Pollutant

**Ozone Depletion Potential** 

N,N-Diethylaniline

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

# **SECTION 14: TRANSPORT INFORMATION**

# IMDG/IMO

<u>14.1. UN number</u>	UN2432
14.2. UN proper shipping name	N,N-DIETHYLANILINE
14.3. Transport hazard class(es)	6.1
14.4. Packing group	III

<u>ADR</u>

14.1. UN number	UN2432
14.2. UN proper shipping name	N,N-DIETHYLANILINE
14.3. Transport hazard class(es)	6.1
14.4. Packing group	III

<u>IATA</u>

<u>14.1. UN number</u>	UN2432
14.2. UN proper shipping name	N,N-DIETHYLANILINE
14.3. Transport hazard class(es)	6.1
14.4. Packing group	III

14.5. Environmental hazardsDangerous for the environmentProduct is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

# SECTION 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

•									
N,N-Diethylaniline	91-66-7	202-088-8	-	-	Х	Х	KE-10434	Х	Х
Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
N,N-Diethylaniline	91-66-7	X	ACTIVE	Х	-	Х	X	X

Legend: X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	· · · · · · · · · · · · · · · · · · ·	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
N,N-Diethylaniline	91-66-7	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
N,N-Diethylaniline	91-66-7	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

# Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

# **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

# **WGK Classification**

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class

# N,N-Diethylaniline

N,N-Diethylaniline	WGK2	
--------------------	------	--

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
N,N-Diethylaniline	Prohibited and Restricted		
91-66-7 (>95)	Substances		

# 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

# Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	<ul> <li>TSCA - United States Toxic Substances Control Act Section 8(b) Inventory</li> <li>DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List</li> <li>ENCS - Japanese Existing and New Chemical Substances</li> <li>AICS - Australian Inventory of Chemical Substances</li> <li>NZIOC - New Zealand Inventory of Chemicals</li> </ul>
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>Predicted No Effect Concentration (PNEC)</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)
Training Advice Chemical incident response training.	

Prepared By	Health, Safety and Environmental Department
Creation Date	30-Apr-2012

N,N-Diethylaniline

Revision Date Revision Summary

New emergency telephone response service provider.

10-Feb-2024

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**