

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 24-Nov-2010 Revision Date 24-Jan-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: <u>Sodium n-dodecyl sulfate, ultrapure</u>

Cat No. : J64241

Synonyms Sodium lauryl sulfate; SDS; Dodecyl Sodium Sulfate

CAS No 151-21-3
EC No 205-788-1
Molecular Formula C12 H25 Na O4 S

REACH registration number -

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals. Surfactant.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category** PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

ALFAAJ64241

#### Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

Flammable solids Category 2 (H228) **Health hazards** Acute oral toxicity Category 4 (H302) Acute Inhalation Toxicity - Dusts and Mists Category 4 (H332) Skin Corrosion/Irritation Category 2 (H315) Serious Eye Damage/Eye Irritation Category 1 (H318) Specific target organ toxicity - (single exposure) Category 3 (H335) **Environmental hazards** Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

**Danger** 

#### **Hazard Statements**

H228 - Flammable solid

H302 + H332 - Harmful if swallowed or if inhaled

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

May form combustible dust concentrations in air

## **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

May form explosible dust-air mixture if dispersed

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Revision Date 24-Jan-2024

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Sodium dodecyl sulphate	151-21-3	EEC No. 205-788-1	>95	Flam. Sol. 2 (H228) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 1 (H318) Acute Tox. 4 (H332) STOT SE 3 (H335) Aguatic Chronic 3 (H412)

	Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Ī	Sodium dodecyl sulphate	Eye Irrit. 1:: C>=20% Eye Irrit. 2 :: 10%<=C<20%	-	-

REACH registration number	-

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

 $symptoms\ occur.$ 

**Self-Protection of the First Aider** Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray. Dry chemical. Foam.

## Extinguishing media which must not be used for safety reasons

Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

#### Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

Flammable. Dust can form an explosive mixture with air. Keep product and empty container away from heat and sources of ignition. Fine dust dispersed in air may ignite.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sodium oxides.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 4.1B Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region

#### Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

specific regulatory bodies

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium dodecyl sulphate				DNEL = 4060mg/kg
151-21-3 ( >95 )				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium dodecyl sulphate	(iiiiiaiatioii)	Systemic (initiation)	(IIIIIaiatioii)	DNEL = $285 \text{mg/m}^3$
151-21-3 ( >95 )				

### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Sodium dodecyl sulphate	PNEC = 0.176mg/L	PNEC = 6.97mg/kg	PNEC = 0.055mg/L	PNEC = 1.35mg/L	PNEC = 1.29mg/kg
151-21-3 (>95)	-	sediment dw	,		soil dw

	Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
	Sodium dodecyl sulphate	PNEC =	PNEC =			
-	151-21-3 (>95)	0.0176mg/L	0.697mg/kg			
-			sediment dw			

## 8.2. Exposure controls

# **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	> 480 minutes	0.4mm	EN 374	As tested under EN374-3 Determination of
			Level 6	Resistance to Permeation by Chemicals

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure. Apron. Boots. Chemical protection suit (EN 14605).

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical State Solid Powder

AppearanceOff-whiteOdorOdorless

Odor ThresholdNo data availableMelting Point/Range206 °C / 402.8 °FSoftening PointNo data availableBoiling Point/Rangeapprox 216 °C

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available

**Explosion Limits** No data available

Flash Point 170 °C / 338 °F Method - No information available

Autoignition Temperature 310.5 °C / 590.9 °F

**Decomposition Temperature** > 216°C

pH8.5-10ViscosityNot applicableSolid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Sodium dodecyl sulphate -2.03

Vapor Pressure0.18 Pa @ 20 °CDensity / Specific GravityNo data availableBulk Density200 - 300 g/L

Vapor Density Not applicable Solid

Particle characteristics No data available

### 9.2. Other information

Molecular Formula C12 H25 Na O4 S

Molecular Weight 288.38

Flammable solids Burning rate or burning time = > 2.2 mm/s or < 45 secs

Wetted zone passed - No

Evaporation Rate Not applicable - Solid

## **SECTION 10: STABILITY AND REACTIVITY**

Sodium n-dodecyl sulfate, ultrapure

10.1. Reactivity

No

10.2. Chemical stability

Hygroscopic.

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Excess heat. Incompatible products. Avoid dust formation. Exposure to moist air or water.

Revision Date 24-Jan-2024

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Sodium oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium dodecyl sulphate	LD50 = 1288 mg/kg (Rat)	> 2000 mg/kg	3900 mg/m³ (Rat) 1 h

(b) skin corrosion/irritation; Category 2
Test method OECD 404
Test species rabbit

Observational endpoint Irritating to skin

(c) serious eye damage/irritation; Category 1
Test method OECD 405
Test species rabbit

Observation end point Severe eye irritant irreversible

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Sodium dodecyl sulphate 151-21-3 ( >95 )	OECD Test Guideline 471 AMES test	Bacteria	negative
	OECD Test Guideline 474 Mouse micronucleus assay	mouse	negative

(f) carcinogenicity; Based on available data, the classification criteria are not met

Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

There are no known carcinogenic chemicals in this product

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

Not applicable (j) aspiration hazard;

Solid

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

	Component	Freshwater Fish	Water Flea	Freshwater Algae
Γ	Sodium dodecyl sulphate	LC50 > 10-100 mg/l, Pimephales	EC50: = 1.8 mg/L, 48h (Daphnia	EC50: 3.59 - 15.6 mg/L, 96h
1		promelas (OECD 203)	magna)	static (Pseudokirchneriella
				subcapitata)
				EC50: = 117 mg/L, 96h
				(Pseudokirchneriella subcapitata)
				EC50: 30 - 100 mg/L, 96h
				(Desmodesmus subspicatus)
				EC50: = 53 mg/L, 72h
				(Desmodesmus subspicatus)

Component	Microtox	M-Factor
Sodium dodecyl sulphate	EC50 = 0.46 mg/L Photobacterium phosphoreum	
	30 min	
	EC50 = 0.72 mg/L Photobacterium phosphoreum	
	15 min	
	EC50 = 1.19 mg/L Photobacterium phosphoreum 5	
	min	

12.2. Persistence and degradability Expected to be biodegradable

**Persistence** Persistence is unlikely.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants.

Bioaccumulation is unlikely 12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Sodium dodecyl sulphate	-2.03	1.6

Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

The product is water soluble, and may spread in water systems . Will likely be mobile in the 12.4. Mobility in soil

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Empty containers **Contaminated Packaging** 

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Do not let this chemical enter

the environment.

# **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

UN1325 14.1. UN number

14.2. UN proper shipping name Flammable solid, organic, n.o.s.

**Technical Shipping Name** Sodium dodecyl sulfate

14.3. Transport hazard class(es) 4.1

14.4. Packing group Ш

ADR

14.1. UN number UN1325

14.2. UN proper shipping name Flammable solid, organic, n.o.s.

**Technical Shipping Name** Sodium dodecyl sulfate

14.3. Transport hazard class(es) 4.1 Ш

14.4. Packing group

IATA

14.1. UN number UN1325

#### Sodium n-dodecyl sulfate, ultrapure

sulfate, ultrapure Revision Date 24-Jan-2024

**14.2. UN proper shipping name Technical Shipping Name**Flammable solid, organic, n.o.s.
Sodium dodecyl sulfate

14.3. Transport hazard class(es) 4.1 14.4. Packing group III

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods according to IMO instruments

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
	Sodium dodecyl sulphate	151-21-3	205-788-1	-	-	X	X	KE-21884	X	X
1										

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Sodium dodecyl sulphate	151-21-3	Х	ACTIVE	X	-	X	Х	X

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous	REACH Regulation (EC 1907/2006) article 59 - Candidate List of
				Substances of Very High Concern (SVHC)
Sodium dodecyl sulphate	151-21-3	-	Use restricted. See item 40. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Sodium dodecyl sulphate	151-21-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

#### Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sodium dodecyl sulphate	WGK2	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
Sodium dodecyl sulphate	Prohibited and Restricted			
151-21-3 (>95)	Substances			

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Sodium n-dodecyl sulfate, ultrapure

Revision Date 24-Jan-2024

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

**Creation Date** 24-Nov-2010 **Revision Date** 24-Jan-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**