

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 16-Jan-2015 Revision Date 16-Mar-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Description: Potassium, chunks, in mineral oil

 Cat No. :
 L13267

 Index No
 019-001-00-2

 CAS No
 7440-09-7

 EC No
 231-119-8

 Molecular Formula
 K

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

## **Physical hazards**

Substances/mixtures which, in contact with water, emit flammable gases Category 1 (H260)

#### **Health hazards**

ALFAAL13267

#### Potassium, chunks, in mineral oil

Revision Date 16-Mar-2024

Skin Corrosion/IrritationCategory 1 B (H314)Serious Eye Damage/Eye IrritationCategory 1 (H318)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



#### Signal Word

#### Danger

#### **Hazard Statements**

H260 - In contact with water releases flammable gases which may ignite spontaneously

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

P402 + P404 - Store in a dry place. Store in a closed container

#### 2.3. Other hazards

Decomposes in contact with water

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Potassium	7440-09-7	EEC No. 231-119-8	98	Water-react. 1 (H260) Skin Corr. 1B (H314) Eye Dam. 1 (H318) (EUH014)

#### Note

Stored in mineral oil

Revision Date 16-Mar-2024

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

> substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. **Notes to Physician** 

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Dry chemical. Dry sand. approved class D extinguishers.

# Extinguishing media which must not be used for safety reasons

Water. Carbon dioxide (CO<sub>2</sub>).

## 5.2. Special hazards arising from the substance or mixture

Corrosive material. Reacts violently with water. Contact with water liberates extremely flammable gases. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Hydrogen.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### Potassium, chunks, in mineral oil

Revision Date 16-Mar-2024

Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

## 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. Extremely slippery when spilled.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. Handle under inert gas, protect from moisture. Keep under nitrogen. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Keep away from water or moist air. Flammables area. Corrosives area.

**Technical Rules for Hazardous Substances (TRGS) 510** Class 4.3 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Revision Date 16-Mar-2024

## **Predicted No Effect Concentration (PNEC)**

No information available.

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove m Natural r Nitrile ru Neopr	rubber Se ubber re rene	eakthrough time ee manufacturers ecommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
PV	С				

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance Grey Odorless

Odor Threshold No data available

Potassium, chunks, in mineral oil Revision Date 16-Mar-2024

Melting Point/Range 63 °C / 145.4 °F

Softening Point No data available
Boiling Point/Range 770 °C / 1418 °F

**Boiling Point/Range** 770 °C / 1418 °F @ 760 mmHg **Flammability (liquid)** Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature 440 °C / 824 °F Decomposition Temperature No data available

pH No information available

Viscosity Not applicable Solid

Water Solubility Reacts violently with water Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure133 mbar @ 171 °CDensity / Specific GravityNo data availableBulk DensityNo data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula K Molecular Weight 39.1

**Substances/mixtures which, in contact with water, emit flammable**Emitted gas ignites spontaneously

Gas(es) = Hydrogen

gases

Evaporation Rate Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Reacts violently with water. Moisture sensitive. Air sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**Contact with water liberates extremely flammable gases.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to air. Exposure to moist air or water.

10.5. Incompatible materials

Acids. Water. Alcohols. Halogens. Carbon dioxide (CO2).

10.6. Hazardous decomposition products

Hydrogen.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information**No acute toxicity information is available for this product

(a) acute toxicity;

Potassium, chunks, in mineral oil

Revision Date 16-Mar-2024

No data available Oral **Dermal** No data available Inhalation No data available

Category 1 B (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Reacts with water so no ecotoxicity data for the substance is available.

12.2. Persistence and degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

Degradability Not relevant for inorganic substances, Reacts with water.

Degradation in sewage

treatment plant

Reacts violently with water.

12.3. Bioaccumulative potential Product does not bioaccumulate due to reaction with water

Revision Date 16-Mar-2024

12.4. Mobility in soil Reacts violently with water

12.5. Results of PBT and vPvB

assessment

Decomposes in contact with water.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic

organisms.

# **SECTION 14: TRANSPORT INFORMATION**

# IMDG/IMO

14.1. UN numberUN225714.2. UN proper shipping namePOTASSIUM

**14.3. Transport hazard class(es)** 4.3 **14.4. Packing group** I

# <u>ADR</u>

14.1. UN numberUN225714.2. UN proper shipping namePOTASSIUM

14.3. Transport hazard class(es) 4.3 14.4. Packing group

## IATA

14.1. UN number UN2257 14.2. UN proper shipping name POTASSIUM

14.3. Transport hazard class(es) 4.3

Potassium, chunks, in mineral oil Revision Date 16-Mar-2024

14.4. Packing group

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Component

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Potassium	7440-09-7	231-119-8	-	-	Х	Χ	KE-29068	Χ	-
Component	CAS No	TSCA	notific	nventory ation - Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Deteccions	7440.00.7	V	۸ ۵٦		V		V	V	V

CAS No EINECS ELINCS NLP IECSC TCSI KECL ENCS ISHL

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Potassium	7440-09-7	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -		
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report		
		Notification	Requirements		
Potassium	7440-09-7	Not applicable	Not applicable		

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### Potassium, chunks, in mineral oil

Revision Date 16-Mar-2024

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 3 (self classification)

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
Potassium 7440-09-7 ( 98 )	Prohibited and Restricted Substances			

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H260 - In contact with water releases flammable gases which may ignite spontaneously

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

H318 - Causes serious eye damage

# Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code **OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit

Potassium, chunks, in mineral oil Revision Date 16-Mar-2024

and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

**Creation Date** 16-Jan-2015 **Revision Date** 16-Mar-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**